

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<link type="text/css" rel="stylesheet" href="../style/css/general.css" />

<script src="http://ajax.googleapis.com/ajax/libs/jquery/1.4.3/jquery.js"
type="text/javascript" charset="utf-8"></script>

<script type="text/javascript" charset="utf-8">

// JavaScript Document
```

```
$(function(){

//    $('#tabs').tabs();

$('.show').hide(0);

$('#h4.toggle').click(function(){
    $(this).next().slideToggle();
    $(this).toggleClass('open');
    return false;
});
```

```
});
```

```
</script>
```

```
<style type="text/css">
```

```
h4 {
```

```
background:url("http://carosamigos.files.wordpress.com/2009/02/menos1.gif") no-repeat  
scroll left 2px transparent;
```

```
clear:both;
```

```
cursor:pointer;
```

```
display:block;
```

```
font-size:13px;
```

```
padding:0 0 0 20px;
```

```
}
```

```
h4.open {
```

```
background:url("http://carosamigos.files.wordpress.com/2009/02/mais1.gif") no-repeat scroll  
left 2px transparent;
```

```
}
```

```
</style>
```

```
<title>Abrindo e fechando div com sinal de menos e de mais usando JQuery </title>
```

```
</head>
```

```
<body>
```

```
<div id="container">
```

```
    <div class="duvidas-box">
```

```
        <div class="pergunta">
```

```
            <h4 class="toggle">Pergunta</h4>
```

```
            <div class="show">
```

```
                <p>Resposta<br /></p>
```

```
            </div>
```

```
        </div>
```

```
        <div class="pergunta">
```

```
            <h4 class="toggle">Pergunta</h4>
```

```
            <div class="show">
```

```
                <p>Resposta<br /></p>
```

```
            </div>
```

```
        </div>
```

```
    </div>
```

</div>

</body>

</html>